

# SERIES 62AL



75 Shore A



-20° C to +70° C



100 - 250mm



220 - 1400kg

## Thick 'TR-Roll' elastic polyurethane bonded to aluminium centre wheel

- Twin ball bearing bore
- Medium-heavy duty loads
- Suitable for towing at 16km/h
- Zinc plated pressed steel castor housings
- Excellent elasticity with good resistance to wear and tear so suitable for indoor and outdoor use
- Very quiet running and will overcome small floor debris
- Tested in accordance with ISO 22878:2004
- Manufactured in accordance with ISO 22883:2004



### Available Bore Types



Ball Bearing



Ball Bearing Facility

### Environments of Use

- Weak Acids
- Strong Acids
- Water
- Alcohol
- Weak Bases
- Strong Bases
- Hydrocarbons
- Solvents

### Uses

Combines the load capacity and resistance to wear and tear of polyurethane with the ability to overcome obstacles and dampen noise vibrations/impacts of elastic rubber. Combined with appropriate brackets, they guarantee excellent performance for mechanical handling up to 16km/h. The excellent rolling resistance guarantees an easy handling of heavy loads even with wheels of small diameter.

### Floor Suitability

Suitable for all types of industrial floors, even outdoors. Facilitates the overcoming of obstacles. Does not damage floors.

### Industries



Airport/Aerospace




Automotive




Conveyors & Production




Towing/Mechanical Handling




Tile




Cement-Resin




Asphalt




With Chips



With Obstacles



Not Paved



Expanded Metal

For technical help and advice contact

**T: 01457 837772 E: [sales@aut.co.uk](mailto:sales@aut.co.uk)**

# SERIES 62AL CONTINUED



75 Shore A



-20°C to +70°C



100 - 250mm



220 - 1400kg

## WHEELS



Ball  
Bearing



Ball Bearing  
Facility

|  |  |  |  |  |  |  |  |  |  |  |  |        |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|
| (mm)                                                                              | (mm)                                                                              | (mm)                                                                              | (mm)                                                                              | (mm)                                                                              | (mm)                                                                              | (daN)                                                                             | (daN)                                                                             | (daN)                                                                              | (kg)                                                                                | (code)                                                                              | (kg)                                                                                | (code) |
| 80                                                                                | 35                                                                                | 12                                                                                | 40                                                                                | 10                                                                                | 32                                                                                | 250                                                                               | 200                                                                               | 220                                                                                | 0.42                                                                                | 622100                                                                              | 0.33                                                                                | 621000 |
| 100                                                                               | 40                                                                                | 15                                                                                | 40                                                                                | 10                                                                                | 32                                                                                | 400                                                                               | 300                                                                               | 300                                                                                | 0.48                                                                                | 622102                                                                              | 0.39                                                                                | 624102 |
| 125                                                                               | 40                                                                                | 20                                                                                | 40                                                                                | 14                                                                                | 47                                                                                | 500                                                                               | 350                                                                               | 350                                                                                | 0.81                                                                                | 622103                                                                              | 0.56                                                                                | 624113 |
| 125                                                                               | 40                                                                                | 20                                                                                | 50                                                                                | 14                                                                                | 47                                                                                | 500                                                                               | 350                                                                               | 350                                                                                | 0.79                                                                                | 622113                                                                              | 0.56                                                                                | 624103 |
| 160                                                                               | 50                                                                                | 20                                                                                | 58                                                                                | 14.5                                                                              | 47                                                                                | 800                                                                               | 550                                                                               | 550                                                                                | 1.25                                                                                | 622104                                                                              | 1.00                                                                                | 624104 |
| 160                                                                               | 50                                                                                | 25                                                                                | 58                                                                                | 14.5                                                                              | 47                                                                                | 900                                                                               | 450                                                                               | 600                                                                                | 1.25                                                                                | 622114                                                                              | -                                                                                   | -      |
| 180                                                                               | 50                                                                                | 20                                                                                | 58                                                                                | 14                                                                                | 47                                                                                | 1000                                                                              | 500                                                                               | 700                                                                                | 1.50                                                                                | 622105                                                                              | 1.25                                                                                | 624105 |
| 200                                                                               | 50                                                                                | 20                                                                                | 58                                                                                | 14                                                                                | 47                                                                                | 1000                                                                              | 500                                                                               | 500                                                                                | 1.82                                                                                | 622106                                                                              | 1.60                                                                                | 624106 |
| 200                                                                               | 50                                                                                | 25                                                                                | 58                                                                                | 14                                                                                | 47                                                                                | 1000                                                                              | 700                                                                               | 700                                                                                | 1.60                                                                                | 622116                                                                              | -                                                                                   | -      |
| 250                                                                               | 50                                                                                | 20                                                                                | 55                                                                                | 15                                                                                | 52                                                                                | 1000                                                                              | 700                                                                               | 800                                                                                | 2.10                                                                                | 622108                                                                              | 2.10                                                                                | 624108 |



Ball  
Bearing

## Wheel lacquer

Water resistant lacquer has been applied to the wheel and the aluminium centre. This provides protection for the wheel, when used in environments where water is present. It can extend the life of the wheel by as much as 75%.

|  |  |  |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| (mm)                                                                                | (mm)                                                                                | (mm)                                                                                | (mm)                                                                                | (mm)                                                                                | (mm)                                                                                | (daN)                                                                               | (daN)                                                                               | (daN)                                                                                | (kg)                                                                                  | (code)                                                                                |                                                                                       |
| 125                                                                                 | 40                                                                                  | 20                                                                                  | 50                                                                                  | 47                                                                                  | 14                                                                                  | 500                                                                                 | 350                                                                                 | 350                                                                                  | 0.81                                                                                  | 622103LQ                                                                              |                                                                                       |
| 125                                                                                 | 40                                                                                  | 20                                                                                  | 40                                                                                  | 47                                                                                  | 14                                                                                  | 500                                                                                 | 350                                                                                 | 350                                                                                  | 0.79                                                                                  | 622113LQ                                                                              |                                                                                       |
| 160                                                                                 | 50                                                                                  | 20                                                                                  | 58                                                                                  | 47                                                                                  | 14.5                                                                                | 800                                                                                 | 550                                                                                 | 550                                                                                  | 1.25                                                                                  | 622104LQ                                                                              |                                                                                       |
| 160                                                                                 | 50                                                                                  | 25                                                                                  | 58                                                                                  | 47                                                                                  | 14.5                                                                                | 800                                                                                 | 550                                                                                 | 550                                                                                  | 1.25                                                                                  | 622114LQ                                                                              |                                                                                       |
| 200                                                                                 | 50                                                                                  | 20                                                                                  | 60                                                                                  | 47                                                                                  | 14.5                                                                                | 1000                                                                                | 500                                                                                 | 700                                                                                  | 1.60                                                                                  | 622106LQ                                                                              |                                                                                       |
| 200                                                                                 | 50                                                                                  | 25                                                                                  | 60                                                                                  | 47                                                                                  | 14.5                                                                                | 1000                                                                                | 700                                                                                 | 700                                                                                  | 1.82                                                                                  | 622116LQ                                                                              |                                                                                       |



Ball  
Bearing



Ball Bearing  
Facility

## Anti-Static

Custom polyurethane solution to comply with electrical conductivity guidelines for ESD applications. With electrical resistance of  $<10^9$  OHM.

|  |  |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| (mm)                                                                                | (mm)                                                                                | (mm)                                                                                | (mm)                                                                                | (mm)                                                                                | (mm)                                                                                | (daN)                                                                               | (kg)                                                                                  | (code)                                                                                | (kg)                                                                                  | (code)                                                                                |
| 100                                                                                 | 40                                                                                  | 15                                                                                  | 40                                                                                  | 32                                                                                  | 10                                                                                  | 225                                                                                 | 0.48                                                                                  | 622152                                                                                | 0.39                                                                                  | 624152                                                                                |
| 125                                                                                 | 40                                                                                  | 20                                                                                  | 50                                                                                  | 47                                                                                  | 14                                                                                  | 250                                                                                 | 0.81                                                                                  | 622173                                                                                | 0.56                                                                                  | 624173                                                                                |
| 160                                                                                 | 50                                                                                  | 20                                                                                  | 58                                                                                  | 47                                                                                  | 14.5                                                                                | 400                                                                                 | 1.25                                                                                  | 622154                                                                                | 1.00                                                                                  | 624154                                                                                |
| 200                                                                                 | 50                                                                                  | 20                                                                                  | 58                                                                                  | 47                                                                                  | 14.5                                                                                | 525                                                                                 | 1.85                                                                                  | 622156                                                                                | 1.60                                                                                  | 624156                                                                                |

# SERIES 62AL CONTINUED



75 Shore A



-20° C to +70° C



100 - 250mm



220 - 1400kg

## STANDARD DUTY CASTORS - NL



|  | 100 | 40 | 128 | 100x85  | 80x60  | 9  | 37 | 120 | 200 | 0.86 | 624402 | 0.83 | 626202 | 1.05 | 627302 |
|--|-----|----|-----|---------|--------|----|----|-----|-----|------|--------|------|--------|------|--------|
|  | 125 | 40 | 156 | 100x85  | 80x60  | 9  | 35 | 120 | 220 | 1.35 | 624413 | 1.17 | 626203 | 1.51 | 627313 |
|  | 125 | 40 | 166 | 140x110 | 105x80 | 11 | 57 | 156 | 300 | 1.46 | 624403 | 1.11 | 626213 | 2.34 | 627303 |

## CENTRAL LOCKING CASTORS





|  | 125 | 40 | 165 | 140x110 | 105x80 | 11 | 46 | 40 | 17.5 | 35 | 18.5 | 300 | 2.44 | 624903 |
|--|-----|----|-----|---------|--------|----|----|----|------|----|------|-----|------|--------|
|  | 160 | 50 | 199 | 140x110 | 105x80 | 11 | 56 | 40 | 17.5 | 35 | 18.5 | 300 | 2.86 | 624910 |
|  | 200 | 50 | 240 | 140x110 | 105x80 | 11 | 56 | 40 | 17.5 | 35 | 18.5 | 300 | 3.38 | 624916 |

## MEDIUM DUTY CASTORS - M



|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |        |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------|
|                                                                                     | 160                                                                                 | 50                                                                                  | 199                                                                                 | 140x110                                                                             | 105x80                                                                              | 11                                                                                  | 58                                                                                  | 178                                                                                 | 500                                                                                  | 2.95                                                                                  | 624504                                                                                | 2.24                                                                                  | 627704                                                                                | 3.42                                                                                  | 627404 |
|                                                                                     | 200                                                                                 | 50                                                                                  | 240                                                                                 | 140x110                                                                             | 105x80                                                                              | 11                                                                                  | 50                                                                                  | 178                                                                                 | 500                                                                                  | 3.69                                                                                  | 624506                                                                                | 3.04                                                                                  | 627706                                                                                | 4.07                                                                                  | 627406 |

## OPTIONS AVAILABLE TO ORDER



For technical help and advice contact

T: 01457 837772 E: sales@aut.co.uk

# SERIES 62AL CONTINUED



75 Shore A



-20°C to +70°C



100 - 250mm



220 - 1400kg

## MEDIUM-HEAVY DUTY CASTORS - P



|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                                                   | 100                                                                               | 40                                                                                | 138                                                                               | 100x85                                                                            | 80x60                                                                             | 9                                                                                 | 46                                                                                | 123                                                                               | 300                                                                               | 1.35                                                                              | 627602                                                                              | 0.85                                                                                | 628512                                                                              | 1.52                                                                                | 627202                                                                              |
|                                                                                   | 125                                                                               | 40                                                                                | 161                                                                               | 100x85                                                                            | 80x60                                                                             | 9                                                                                 | 44                                                                                | 123                                                                               | 300                                                                               | 1.75                                                                              | 627613                                                                              | 1.26                                                                                | 628513                                                                              | 1.84                                                                                | 627213                                                                              |

## HEAVY DUTY CASTORS - P






|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                                                   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 125                                                                               | 40                                                                                | 170                                                                               | 140x110                                                                           | 105x80                                                                            | 11                                                                                | 70                                                                                | 126                                                                               | 350                                                                               | 2.33                                                                              | 627603                                                                             | 1.26                                                                                | 628503                                                                              | 2.86                                                                                | 627203                                                                              |                                                                                     |
| 160                                                                               | 50                                                                                | 205                                                                               | 140x110                                                                           | 105x80                                                                            | 11                                                                                | 70                                                                                | 126                                                                               | 550                                                                               | 3.60                                                                              | 627610                                                                             | 2.11                                                                                | 628514                                                                              | 4.17                                                                                | 627204                                                                              |                                                                                     |
| 180                                                                               | 50                                                                                | 228                                                                               | 140x110                                                                           | 105x80                                                                            | 11                                                                                | 70                                                                                | 126                                                                               | 600                                                                               | 3.84                                                                              | 627605                                                                             | 2.42                                                                                | 628515                                                                              | 4.41                                                                                | 627205                                                                              |                                                                                     |
| 200                                                                               | 50                                                                                | 250                                                                               | 140x110                                                                           | 105x80                                                                            | 11                                                                                | 70                                                                                | 126                                                                               | 700                                                                               | 4.31                                                                              | 627516                                                                             | 2.85                                                                                | 628516                                                                              | 4.91                                                                                | 627206                                                                              |                                                                                     |
| 250                                                                               | 50                                                                                | 298                                                                               | 140x110                                                                           | 105x80                                                                            | 11                                                                                | 70                                                                                | 126                                                                               | 750                                                                               | 4.84                                                                              | 627608                                                                             | 3.74                                                                                | 628518                                                                              | 5.54                                                                                | 627208                                                                              |                                                                                     |

## HEAVY DUTY TOWING CASTORS - PT



|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>160</b>                                                                          | 50                                                                                  | 205                                                                                 | 140x110                                                                             | 105x80                                                                              | 11                                                                                  | 70                                                                                  | 126                                                                                 | 550                                                                                 | 3.52                                                                                 | <b>625010</b>                                                                         | 2.11                                                                                  | <b>628514</b>                                                                         | 4.12                                                                                  | <b>629904</b>                                                                         |
| <b>180</b>                                                                          | 50                                                                                  | 228                                                                                 | 140x110                                                                             | 105x80                                                                              | 11                                                                                  | 70                                                                                  | 126                                                                                 | 600                                                                                 | 3.91                                                                                 | <b>625005</b>                                                                         | 2.42                                                                                  | <b>628515</b>                                                                         | 4.38                                                                                  | <b>629905</b>                                                                         |
| <b>200</b>                                                                          | 50                                                                                  | 250                                                                                 | 140x110                                                                             | 105x80                                                                              | 11                                                                                  | 70                                                                                  | 126                                                                                 | 700                                                                                 | 4.10                                                                                 | <b>625016</b>                                                                         | 2.85                                                                                  | <b>628516</b>                                                                         | 4.66                                                                                  | <b>629906</b>                                                                         |

## OPTIONS AVAILABLE TO ORDER



# SERIES 62AL CONTINUED



75 Shore A



-20°C to +70°C



100 - 250mm



220 - 1400kg

## EXTRA HEAVY DUTY CASTORS - EP



|            |  |    |     |         |        |    |    |     |     |      | SWIVEL        |      | FIXED         |      | SWIVEL & BRAKE |
|------------|--|----|-----|---------|--------|----|----|-----|-----|------|---------------|------|---------------|------|----------------|
| <b>160</b> |  | 50 | 205 | 135x110 | 105x80 | 11 | 70 | 126 | 550 | 3.76 | <b>627824</b> | 3.35 | <b>628824</b> | 4.28 | <b>626664</b>  |
| <b>200</b> |  | 50 | 250 | 135x110 | 105x80 | 11 | 70 | 126 | 700 | 4.57 | <b>627826</b> | 4.13 | <b>628826</b> | 5.14 | <b>626656</b>  |

## ELECTRO WELDED CASTORS - EE MHD



|            |  |    |     |         |        |    |    |     |     |      | SWIVEL        |      | FIXED         |      | SWIVEL & BRAKE |
|------------|--|----|-----|---------|--------|----|----|-----|-----|------|---------------|------|---------------|------|----------------|
| <b>100</b> |  | 40 | 170 | 135x110 | 105x80 | 11 | 51 | 157 | 300 | 3.38 | <b>628302</b> | 2.40 | <b>628402</b> | 4.26 | <b>628602</b>  |
| <b>125</b> |  | 40 | 182 | 135x110 | 105x80 | 11 | 51 | 157 | 350 | 3.71 | <b>628303</b> | 2.73 | <b>628403</b> | 4.59 | <b>628603</b>  |
| <b>160</b> |  | 50 | 215 | 135x110 | 105x80 | 11 | 60 | 157 | 550 | 4.25 | <b>628314</b> | 3.26 | <b>628414</b> | 5.13 | <b>628614</b>  |
| <b>180</b> |  | 50 | 242 | 135x110 | 105x80 | 11 | 70 | 157 | 600 | 4.62 | <b>628305</b> | 3.64 | <b>628405</b> | 5.51 | <b>628605</b>  |
| <b>200</b> |  | 50 | 252 | 135x110 | 105x80 | 11 | 70 | 157 | 700 | 4.97 | <b>628306</b> | 3.99 | <b>628406</b> | 6.31 | <b>628606</b>  |

## ELECTRO WELDED SPRUNG-LOADED CASTORS EES MHD



|            |  |    |     |         |        |    |     |     |     |      | SWIVEL        |      | FIXED         |      | SWIVEL & BRAKE |
|------------|--|----|-----|---------|--------|----|-----|-----|-----|------|---------------|------|---------------|------|----------------|
| <b>160</b> |  | 50 | 248 | 135x110 | 105x80 | 11 | 100 | 240 | 550 | 7.07 | <b>626304</b> | 5.82 | <b>626404</b> | 8.13 | <b>626504</b>  |
| <b>200</b> |  | 50 | 268 | 135x110 | 105x80 | 11 | 100 | 265 | 700 | 7.67 | <b>626306</b> | 6.42 | <b>626406</b> | 8.78 | <b>626506</b>  |
| <b>250</b> |  | 50 | 316 | 135x110 | 105x80 | 11 | 110 | 315 | 800 | 8.75 | <b>626308</b> | 7.54 | <b>626408</b> | 9.99 | <b>626508</b>  |

## OPTIONS AVAILABLE TO ORDER



EE MHD housing with steering system



Directional Lock for EEM HD, EE HD and EED MHD housings

For technical help and advice contact

**T: 01457 837772 E: sales@aut.co.uk**

# SERIES 62AL CONTINUED



75 Shore A



-20°C to +70°C



100 - 250mm



220 - 1400kg

## EXTRA HEAVY DUTY CASTORS - EEG MHD



|  |     |       |     |         |        |    |    |     |      |  | SWIVEL |      | FIXED  |
|--|-----|-------|-----|---------|--------|----|----|-----|------|--|--------|------|--------|
|  | 100 | 40+40 | 140 | 135x110 | 105x80 | 11 | 55 | 600 | 3.45 |  | 628062 | 2.65 | 628162 |
|  | 125 | 40+40 | 170 | 135x110 | 105x80 | 11 | 55 | 700 | 4.20 |  | 628063 | 3.40 | 628163 |

## TWIN WHEEL ELECTRO WELDED CASTORS - EEG HD



|  |     |       |     |         |         |    |    |      |       |  | SWIVEL |      | FIXED  |
|--|-----|-------|-----|---------|---------|----|----|------|-------|--|--------|------|--------|
|  | 160 | 50+50 | 228 | 175x140 | 140x105 | 14 | 50 | 1100 | 10.20 |  | 628084 | 6.20 | 628184 |
|  | 200 | 50+50 | 280 | 175x140 | 140x105 | 14 | 65 | 1400 | 12.30 |  | 628066 | 7.70 | 628166 |

## OPTIONS AVAILABLE TO ORDER



EE MHD housing with steering system



Directional Lock for EEM HD, EE HD and EED MHD housings