

SERIES 73AE



70 Shore A



-20° C to +70° C



100 - 200mm



150 - 350kg

Elastic rubber wheels with polyamide 6 centre

- Non-marking blue elastic rubber tyre with black polyamide 6 centre
- Standard to medium-heavy duty loads
- Zinc plated pressed steel castor housings (unless described by stainless)
- Tested in accordance with ISO 22878:2004
- Manufactured in accordance with ISO 22883:2004



Available Bore Types



Plain
Bore



Ball
Bearing

Environments of Use

- Weak Acids
- Strong Acids
- Water
- Alcohol
- Weak Bases
- Strong Bases
- Hydrocarbons
- Solvents

Uses

Wheels with good elasticity, they are particularly suitable for use on uneven surfaces in presence of obstacles or for mixed indoor/outdoor uses with medium-duty loads.

Industries



Airport/
Aerospace




Food Industry




Conveyors &
Production

Floor Suitability


They are suitable for use on all types of floors, even in the presence of obstacles. They do not mark or damage fragile floors.




Tile



Cement-Resin




Asphalt




With Chips



With Obstacles



Not Paved



Expanded Metal

SERIES 73AE CONTINUED



70 Shore A



-20°C to +70°C



100 - 200mm



150 - 350kg

WHEELS



Plain
Bore

								
(mm)	(mm)	(mm)	(mm)	(daN)	(daN)	(daN)	(kg)	(code)
100	36	12	44	200	100	150	0.22	73AE1102
125	36	12	44	270	150	200	0.33	73AE1103
160	48	20	59	350	175	300	0.76	73AE1104
200	48	20	59	510	235	350	1.06	73AE1106



Ball
Bearing

										
(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(daN)	(daN)	(daN)	(kg)	(code)
100	36	12	40	32	10	200	100	150	0.32	73AE2102
125	36	12	40	32	10	270	150	200	0.41	73AE2103
160	48	20	55	47	14	350	175	300	0.98	73AE2104
200	48	20	55	47	14	510	235	350	1.28	73AE2106



STANDARD DUTY CASTORS - NL

											SWIVEL		FIXED		SWIVEL & BRAKE
	100	36	128	100x85	80x60	9	35	120	150	0.76	73AE5002	0.56	73AE5102	0.88	73AE5202
	125	36	156	100x85	80x60	9	37	120	200	1.03	73AE5003	0.76	73AE5103	1.14	73AE5203
	160	48	198	140x110	105x80	11	56	156	300	2.04	73AE5004	1.67	73AE5104	2.29	73AE5204
	200	48	240	140x110	105x80	11	56	156	300	2.46	73AE5006	2.00	73AE5106	2.71	73AE5206
											SWIVEL		FIXED		SWIVEL & BRAKE
	100	36	128	100x85	80x60	9	35	120	150	0.87	73AE5602	0.66	73AE5702	0.93	73AE5802
	125	36	156	100x85	80x60	9	37	120	200	1.06	73AE5603	0.79	73AE5703	1.12	73AE5803
	160	48	198	140x110	105x80	11	56	156	300	2.26	73AE5604	1.88	73AE5704	2.50	73AE5804
	200	48	240	140x110	105x80	11	56	156	300	2.68	73AE5606	2.22	73AE5706	2.93	73AE5806

For technical help and advice contact

T: 01457 837772 E: sales@aut.co.uk

SERIES 73AE CONTINUED



70 Shore A



-20°C to +70°C



100 - 200mm



150 - 350kg



MEDIUM-HEAVY DUTY CASTORS - P

											SWIVEL		FIXED		SWIVEL & BRAKE
100	36	138	100x85	80X60	9	46	123	150	1.09	73AE6002	0.60	73AE6102	1.24	73AE6202	
125	36	161	100x85	80X60	9	44	123	200	1.29	73AE6003	0.77	73AE6103	1.28	73AE6203	

											SWIVEL		FIXED		SWIVEL & BRAKE
100	36	138	100x85	80x60	9	46	123	150	1.19	73AE6602	1.69	73AE6702	1.33	73AE6802	
125	36	161	100x85	80x60	9	44	123	200	1.32	73AE6603	1.80	73AE6703	1.46	73AE6803	



HEAVY DUTY CASTORS - P

											SWIVEL		FIXED		SWIVEL & BRAKE
	160	48	205	140x110	105x80	11	70	126	300	3.11	73AE6004	1.72	73AE6104	3.68	73AE6204
	200	48	250	140x110	105x80	11	70	126	350	3.56	73AE6006	2.07	73AE6106	4.13	73AE6206
											SWIVEL		FIXED		SWIVEL & BRAKE
	160	48	205	140x110	105x80	11	70	126	300	3.33	73AE6604	1.98	73AE6704	3.90	73AE6804
	200	48	250	140x110	105x80	11	70	126	350	3.78	73AE6606	2.29	73AE6706	4.35	73AE6806

OPTIONS AVAILABLE TO ORDER



Directional Lock for
brackets d. 150-200mm